

## Transaction Information

Tool ID	MSCD702
Tool Status	Connected
Location	Woodlands, Singapore
Wafer Size	300 mm
Fab Section	Metrology
Tool Available Date	2024-10-31

## General Product Information

Vendor Supplier	KLA-TENCOR
Model	SPECTRACD-XT
Vintage	2009
Serial No	6511263
Asset Description	OCD Measurement Tool
Software Version	050032
CIM	SECS/GEM
Process	OCD Measurement

## Hardware Configuration (Fab)

System Type	Description	Quantity	Status
Main System	Main Frame	1	OK
Factory Interface	FOUP	3	OK
Options System			
Others			

## Hardware Configuration (Subfab / Auxilliary Units)

Description	Quantity	Status
na		

## Missing/Faulty Parts / Accesories List

Description	Quantity
na	

# Tool Pictures

General

Main Frame





Manufacture Serial

Serial Number MSCD702

**KLA Tencor**

**SERVICE PERSONNEL ONLY**

Haticshore St. Migdal Ha'Emek 23100 ISRAEL

MODEL: COMET / SpectraCD - XT

SERIAL NO: / **6511263**

V: 230 VAC / 11.3 A (230V)  
208 VAC / 12.5 A (208V)

f: 50/60 Hz Ph: 1  $\phi$  (230V)  
2  $\phi$  (208V)

Main breaker rating: 13Amp

Largest load rating: 5Amp

Ampere Interrupt Capacity 10.000 A

Wiring configuration: 2 wire + Ground

Diagram Number: **0215874-000**

This product is protected by one,  
or more, of the following US patents:

4,805,089, 4,967,381, 5,226,118, 5,581,350,  
5,608,526, 5,739,909, 5,771,094, 5,859,424,  
5,910,842, 6,483,580, 6,590,656, 6,633,831

**MADE IN ISRAEL**

**TAGOUT/LOCKOUT PROCEDURE**

1. Power the system down.
2. Place the Main circuit breaker in the OFF position.
3. Insert the locking device "ears" in the holes on the circuit breaker body above the ON/OFF lever by pulling the yellow cover to allow free motion of the metal "ears".
4. Push the yellow plastic cover back into place.
5. Place the lock provided in the kit on the opening in the locking device.

## Additional Tool Data Files